


CLASSIC PLUS



*A collection of hardwood switches and sockets
available with a choice of decorative
rocker finishes*





Classic PLUS

ROCKER SWITCHES



- CX01/1 1G 2W 10A Switch
- CX01/2 2G 2W 10A Switch
- CX01/3 3G 2W 10A Switch
- CX01/4 4G 2W 10A Switch
- CX01/6 6G 2W 10A Switch
- CX02/1 1G Intermediate Switch
- CX02/2 2G Intermediate Switch
- CX03/1 3 Pole Fan Isolator Switch
- CX04/1 1G D/P 20amp Switch
- CX04/2 1G D/P 20amp Switch with Neon
- CX28/1 1G 10amp Push to Make Switch

DIMMER SWITCHES



- Universal - Mains & Low Voltage Dimmers
- CX20/1 1G 2W Push/Push 400W/VA Dimmer
 - CX20/2 2G 2W Push/Push 2 x 400W/VA Dimmer
 - CX19/2 2G 2W Push/Push 2 x 250W/VA Dimmer
 - CX19/3 3G 2W Push/Push 3 x 250W/VA Dimmer
 - CX19/4 4G 2W Push/Push 4 x 250W/VA Dimmer
 - CX23/1T 1G 2W Push-on/Push-off 1 x 1000W Dimmer Twin
 - CX26/1 1G 2W Push-on/Push-off 1 x 1500W Dimmer Twin
 - CX27/1 1G 1W 250W Fan Control Dimmer
- Low Voltage Wire Wound Transformer Only Dimmer
- CX22/1 1G 2W Push-on/Push-off 1 x 630 L/V Dimmer
- CXVP/1 1 X 400W GLS or 1-10 LED Lamps per module
 - CXVP/2 2 X 250W GLS or 1-10 LED Lamps per module
 - CXVP/3 3 X 250W GLS or 1-10 LED Lamps per module
 - CXVP/4 4 X 250W GLS or 1-10 LED Lamps per module

TOGGLE SWITCHES



- CX08/1 1G 2W 10amp Toggle Switch
- CX08/2 2G 2W 10amp Toggle Switch
- CX08/3 3G 2W 10amp Toggle Switch
- CX08/4 4G 2W 10amp Toggle Switch
- CX08/1 int 1G Intermediate Toggle Switch
- CX08/2 int 2G Intermediate Toggle Switch

45 AMP SWITCHES



- CX15/1 45Amp D/P Cooker Switch Neon Vertical Twin Plate
- CX15/2 45Amp D/P Cooker Switch with Neon Single Plate
- CX15/3 45Amp D/P Cooker Switch with 13Amp Socket

WALL SOCKETS



- CX06/1 1G 13amp Switched Socket
- CX06/2 2G 13amp Switched Socket
- CX07/1 1G 2amp Unswitched Socket
- CX07/2 1G 5amp Unswitched Socket
- CX13/1 Shaver Socket 110/240 Voltage

CONNECTION UNITS



- CX05/1 1G 13amp Switch Fuse Spur
- CX05/2 1G 13amp Switch Fuse Spur with Neon
- CX05/3 1G 13amp Switch Fuse Spur with Neon/Cord
- CX05/4 1G Unswitched Fuse Spur
- CX05/0 Flex Outlet Plate

TELEPHONE SOCKETS



- CX11/1 1G Telephone Master Socket
- CX11/2 1G Telephone Slave Socket

TELEVISION COAXIAL SOCKETS




- CX09/1 1G TV Co-axial non isolated
- CX09/2 2G TV Co-axial non isolated
- CX10/1 1G TV Co-axial isolated
- CX10/2 2G TV/FM Co-axial isolated

BLANK PLATES



- CX16/1 Single Blank Plate
- CX16/2 Double Blank Plate



Solid hardwood face plate with a choice of decorative metal rockers.

PLATE + ROCKER COMBINATIONS

(For further data, visual and audio solutions see our IClip and IGrid ranges)

Light Oak



.O . SSB



.O . PSB



.O . PBB



.O . ABB



.O . SSW



.O . PSW

Medium Oak



.MO . SSB



.MO . PSB



.MO . PBB



.MO . ABB

When ordering choose switch code followed by plate rocker code e.g.

CX01/1.MO.SSB

1G Switch, Medium Oak, Satin Stainless rocker with black trim.

Dark Oak



.DK . SSB



.DK . PSB



.DK . PBB



.DK . ABB

Rocker and Trim Finish Key:-

- SSW - Satin Stainless Rocker White Trim
- SSB - Satin Stainless Rocker Black Trim
- PSB - Polished Stainless Rocker Black Trim
- PBB - Polished Brass Rocker Black Trim
- ABB - Antique Brass Rocker Black Trim
- PSW - Polished Stainless Rocker White Trim

Limed Oak



.LK . SSB



.LK . PSB




.LK . PBB



.LK . SSW



.LK . PSW



.LK . PBB

Ash



.A . SSB



.A . PSB



.A . PBB



.A . SSW



.A . PSW



.A . PBB



Ash

Dark Oak

Limed Oak

Light Oak

Medium Oak

Classic *PLUS* – A range of hardwood accessories available with a selection of decorative metal rockers.

Other Ranges available from Switch to Wood:-

- * Classic
- * Scandic
- * Solo Flat Plate
- * Quarry
- * Bakelite & Asbury
- * Accord
- * I-Grid & I-Clip modular systems
- * Floor Sockets
- * Elements
- * Neon
- * Penland
- * Surface Mounting Solutions

Colours and finishes may vary slightly due to printing processes E&OE

Unit 4,
Firsland Park Estate,
Henfield Road, Albourne,
Hassocks,
West Sussex,
BN6 9JJ



MADE IN ENGLAND

www.switchtowood.co.uk
Email: sales@switchtowood.co.uk
Tel: +44 (0) 1273 495999
Fax: +44 (0) 1273 495019